

Canara high power LED outdoor ground recessed light consist of 3 leds uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 6W LED

Power Supply: 12V/24V DC

Color Temperature: RGB

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°

Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 130mm, H: 45mm







Canara high power LED outdoor ground recessed light consist of 3 leds uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 9W LED

Power Supply: 12V/24V DC

Color Temperature: RGB

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°

Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 130mm, H: 45mm







Canara high power LED outdoor ground recessed light consist of 6 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 6W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°


Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 120mm, H: 120mm



Product Code: CAN LED UW6-1







Canara high power LED outdoor ground recessed light consist of 9 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 9W LED

Power Supply: 12V/24V DC

Color Temperature : Single Color/ RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°

Control: ON-OFF/DMX512


Body: Stainless Steel

Dimension: 145mm, H: 150mm



Product Code: CAN LED UW9-2

Applications:





Canara high power LED outdoor ground recessed light consist of 18 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 12W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°

Control: ON-OFF/DMX512


Body: Stainless Steel

Dimension: 170mm, H: 93mm



Product Code: CAN LED UW12

Applications:



Canara high power LED outdoor ground recessed light consist of 18 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 15W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°

Control: ON-OFF/DMX512


Body: Stainless Steel

Dimension: 170mm, H: 93mm



Product Code: CAN LED UW15

Applications:



Canara high power LED outdoor ground recessed light consist of 18 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 18W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°


Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 170mm, H: 93mm



Product Code: CAN LED UW18



Applications:

Canara high power LED outdoor ground recessed light consist of 18 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 24W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°

Control: ON-OFF/DMX512


Body: Stainless Steel

Dimension: 215mm, H: 148mm



Product Code: CAN LED UW24

Applications:



Canara high power LED outdoor ground recessed light consist of 30 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 30W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°

Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 250mm, H: 148mm



Product Code: CAN LED UW30

#250 #188 Whara Lighting

Applications:

Canara high power LED outdoor ground recessed light consist of 54 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 54W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°

Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 300mm, H: 161mm



Product Code: CAN LED UW54

Ø300

161 Canara Lighting GLOBAL ILLUMINATORS

Applications:

Canara high power LED outdoor ground recessed light consist of 18 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 24X3W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°


Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 250mm, H: 148mm



Product Code: CAN LED UW24X3



Applications:

Canara high power LED outdoor ground recessed light consist of 18 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 24X3W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°


Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 250mm, H: 148mm



Product Code: CAN LED UW18X3



Applications:

Canara high power LED outdoor ground recessed light consist of 18 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 27X2W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 8mm

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°

Control: ON-OFF/DMX512


Body: Stainless Steel

Dimension: 250mm, H: 148mm



Product Code: CAN LED UW27X2

Applications:



Canara high power LED outdoor ground recessed light consist of 6 nos. LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool Underwater applications etc.

SPECIFICATIONS

LED power: 18W LED

Power Supply: 12V DC

Color Temperature: RGB

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°

Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 130mm, H: 45mm







Canara high power LED outdoor ground recessed light consist of 6 nos. LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 24W LED

Power Supply: 12V DC

Color Temperature: RGB

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°

Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 130mm, H: 45mm







LED UNDERWATER NOZZLE PASS LIGHT

Canara high power LED outdoor ground recessed light consist of 12led uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 36W LED

Power Supply: 12V DC

Color Temperature: RGB

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°

Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 130mm, H: 45mm







Canara high power LED outdoor ground recessed light consist of 12led uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 48W LED

Power Supply: 12V DC

Color Temperature: RGB

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°

Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: 130mm, H: 45mm







Canara high power LED outdoor ground recessed light consist of 3 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 6W

Power Supply: 12V/24V DC

Color Temperature : Single Color/ RGBW

Glass: Tempered glass T: 10mm

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°

Control: ON-OFF/DMX512

Body: Stainless Steel

Dimension: Ø100mm, H: 60mm







Canara high power LED outdoor ground recessed light consist of 3 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 9W

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 10mm

Protection rating: IP68

Beam angle:10°,30°,45°,60°,90°

Body: Stainless Steel

Control: ON-OFF/DMX512

Dimension: Ø100mm, H: 60mm







Canara high power LED outdoor ground recessed light consist of 4 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 8W

Power Supply: 12V/24V DC

Color Temperature: Single Color

Protection rating: IP68

Beam angle:120°

Body: Stainless Steel

Dimension: Ø125mm, H: 22mm

Control: ON-OFF/DMX512







Canara high power LED outdoor ground recessed light consist of 6 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 20W

Power Supply: 12V/24V DC

Color Temperature: Single Color

Protection rating: IP68

Beam angle:120°

Body: Stainless Steel

Dimension: Ø175mm, H: 22mm

Control: ON-OFF/DMX512







Canara high power LED outdoor ground recessed light consist of 6 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 20W

Power Supply: 12V/24V DC

Color Temperature: Single Color

Protection rating: IP68

Beam angle:120°

Body: Stainless Steel

Dimension: Ø175mm, H: 22mm

Control: ON-OFF/DMX512







Canara high power LED outdoor ground recessed light consist of 3 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 12W

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 10mm

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°

Body: Stainless Steel

Dimension: 140mm, H: 60mm

Control: ON-OFF/DMX512







Canara high power LED outdoor ground recessed light consist of 9 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

Applications:

Widely used in fountain, Swimming Pool, Underwater applications etc.

SPECIFICATIONS

LED power: 27W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 10mm

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°

Body: Stainless Steel

Dimension: 160mm, H: 60mm

Control: ON-OFF/DMX512







Canara high power LED outdoor ground recessed light consist of 12 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 36W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 10mm

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°

Body: Stainless Steel

Dimension: 160mm, H: 60mm

Control: ON-OFF/DMX512



Product Code: CAN LED UWP36

Applications:



Canara high power LED outdoor ground recessed light consist of 18 pcs LED's uses the design of increasing heat dissipation space, the buried barrel adopts aluminium alloy compression molding form. Used for decoration or indicating lighting, the application level has considerable flexibility.

FEATURES

- Surface with anodizing treatment has the stronger structure and anti-corrosion capability, meet the LED light body requirement for heat conduct to the outside of concrete and land, fully ensure the stability and long lifespan of LED fixture.
- Stainless steel faceplate, high pressure die casting light body, surface with electrostatic plastic coating.
- Lampshade adopts high strength toughened glass, resist the impact and friction.
- Adopt original LED light source, high flux output, excellent consistency of light color; Constant current driver with PWM gray control installed inside, make the light result much beautiful.
- IP68 grade waterproof, all-weather outdoor use.
- Environmental friendly and free from UV, IR or Mercury.

SPECIFICATIONS

LED power: 54W LED

Power Supply: 12V/24V DC

Color Temperature: Single Color/RGBW

Glass: Tempered glass T: 10mm

Protection rating: IP68

Beam angle :10°,30°,45°,60°,90°

Body: Stainless Steel

Dimension: 160mm, H: 60mm

Control: ON-OFF/DMX512



Product Code: CAN LED UWP54

Applications:

